



Large size (KM)

Small size (FM)

An ideal instrument for measuring small mechanical forces. Typical applications are testing and checking of: controls with adjustable frictional torque, spring tension in micro switches and all types of relay contacts and the contacts etc. in motor vehicles

How to use



Easy to Use

Place the feeler tip so as to lift the spring or the pressure element from its stop or to bring it to the desired position for measurement. It is important to keep the feeler at right angles to the direction of force at all times. Changes to this angle will result in erroneous readings.

Model Selection

The CORREX Tension Gauge is produced in two sizes and for a total of eleven different ranges, all of them with rounded or flat type of feeler tip. The CORREX Tension Gauge fits easily in the hand, weighing from 4 to 9 oz. Except for the smallest 2 models, all have a maximum pointer.


Accuracy

±0.01 x (Maximum dial reading + actual test reading)

Specification								
Size	Small size							
Model	3 CNP K	6 CNP K	15 CNP KM	30 CNP KM	50 CNP KM	100 CNP KM	150 CNP KM	250 CNP KM
Range (g/cN)	0.3~3	0.6~6	2~15	3~30	5~50	10~100	15~150	25~250
Max. Indicator	No		Yes					
Feeler Tip	Rounded Type Tip							

Specification			
Size	Large size		
Model	500 CNP KM	1000 CNP KM	2000 CNP KM
Range (g/cN)	50~500	100~1000	200~2000
Max. Indicator	Yes		
Feeler Tip	Rounded Type Tip		

Remark: Flat tip (FM) is available for all above model



Small size

Large size



香港科學儀器社有限公司
Che Scientific Co. (Hong Kong) Ltd.

Hong Kong Head office:

Unit D, 18/F, Roxy Industrial Centre, 58-66 Tai Lin Pai Road, Kwai Chung, Hong Kong

TEL: (852) 2481 1323 FAX: (852) 2418 1302

E-mail: sales@chescientific.com Website: www.chescientific.com



浙江科通儀器有限公司
Zhejiang Fortune Scientific Co. Ltd.

TEL: (86 571) 8729 7500 FAX: (86 571) 8729 7511

E-mail: sales@fortunescientific.com.cn

Website: www.fortunescientific.com.cn

Guangzhou Branch:

TEL: (86 20) 8130 7388 FAX: (86 20) 8108 4925

E-mail: guangzhou@fortunescientific.com.cn