



2034 microscope with scale

### Microscope with lamp and scale

| Model           | 2034-20   | 2034-40 | 2034-60 | 2034-100 | 2034-150 | 2034-200 | 2034-300 |
|-----------------|-----------|---------|---------|----------|----------|----------|----------|
| Magnification   | 20X       | 40X     | 60X     | 100X     | 150X     | 200X     | 300X     |
| Field of view   | Φ7.2mm    | Φ3.6mm  | Φ2.4mm  | Φ1.45mm  | Φ0.96mm  | Φ0.72mm  | Φ0.48mm  |
| Minimum scale   | 0.10mm    | 0.05mm  | 0.02mm  | 0.01mm   | 0.005mm  | 0.002mm  | 0.001mm  |
| Measuring range | 6.0mm     | 3.0mm   | 2.0mm   | 1.2mm    | 0.9mm    | 0.6mm    | 0.2mm    |
| Size            | Φ63x172mm |         |         |          |          |          |          |



2009 aluminum alloy microscope with scale and lamp

| Model           | 2008-25 | 2008-50 | 2008-75 | 2008-100 |
|-----------------|---------|---------|---------|----------|
| Magnification   | 25X     | 50X     | 75X     | 100X     |
| Field of view   | Φ3.3mm  | Φ1.70mm | Φ1.09mm | Φ0.84mm  |
| Minimum scale   | 0.05mm  | 0.02mm  | 0.01mm  | 0.005mm  |
| Measuring range | 3.0mm   | 1.6mm   | 1.0mm   | 0.8mm    |

| Model                                    | 2009-20 | 2009-40 | 2009-60 | 2009-100 |
|--|---------|---------|---------|----------|
| Magnification                            | 20X     | 40X     | 60X     | 100X     |
| Field of view                            | Φ7.2mm  | Φ4.3mm  | Φ2.2mm  | Φ1.8mm   |
| Minimum scale                            | 0.05mm  | 0.02mm  | 0.02mm  | 0.01mm   |
| Measuring range                          | 6.0mm   | 3.4mm   | 1.6mm   | 1.2mm    |
| Working distance                         | 52.01mm | 28.01mm | 6.0mm   | 5.5mm    |
| Inch scale is available. (Please select) |         |         |         |          |




2008 microscope with scale




2050 microscope with scale

| Model           | 2050-25 | 2050-50 | 2050-75 | 2050-100 |
|-----------------|---------|---------|---------|----------|
| Magnification   | 25X     | 50X     | 75X     | 100X     |
| Field of view   | Φ3.50mm | Φ1.70mm | Φ1.10mm | Φ0.56mm  |
| Minimum scale   | 0.05 mm | 0.02 mm | 0.01 mm | 0.005mm  |
| Measuring range | 3.0 mm  | 1.6 mm  | 1.0 mm  | 0.8 mm   |



2036 microscope with scale

| Model           | 2036-25     | 2036-50 |
|-----------------|-------------|---------|
| Magnification   | 25X         | 50X     |
| Field of view   | Φ3.30mm     | Φ1.70mm |
| Minimum scale   | 0.05mm      | 0.02mm  |
| Measuring range | 3.0mm       | 1.6mm   |
| Size            | Φ12.4x127mm |         |



2001 microscope

| Model         | 2001-25     | 2001-50 | 2001-75 | 2001-100 |
|---------------|-------------|---------|---------|----------|
| Magnification | 25X         | 50X     | 75X     | 100X     |
| Field of view | Φ3.30mm     | Φ1.70mm | Φ1.10mm | Φ0.86 mm |
| Size          | Φ12.4x127mm |         |         |          |



2028 microscope with lamp and scale

| Model              | 2028          |
|--------------------|---------------|
| Magnification      | 10X           |
| Accuracy           | 0.1mm         |
| Field of view      | 32mm          |
| Effective diameter | 20mm          |
| Size               | Φ 47x45x185mm |



香港科學儀器社有限公司  
Che Scientific Co. (Hong Kong) Ltd.

**Hong Kong Head office:**

Unit D, 18/F, Roxy Industrial Centre, 58-66 Tai Lin Pai Road, Kwai Chung, Hong Kong

TEL: (852) 2481 1323 FAX: (852) 2418 1302

E-mail: [sales@chescientific.com](mailto:sales@chescientific.com) Website: [www.chescientific.com](http://www.chescientific.com)



浙江科通儀器有限公司  
Zhejiang Fortune Scientific Co. Ltd.

TEL: (86 571) 8729 7500 FAX: (86 571) 8729 7511

E-mail: [sales@fortunescientific.com.cn](mailto:sales@fortunescientific.com.cn)

Website: [www.fortunescientific.com.cn](http://www.fortunescientific.com.cn)

**Guangzhou Branch:**

TEL: (86 20) 8130 7388 FAX: (86 20) 8108 4925

E-mail: [guangzhou@fortunescientific.com.cn](mailto:guangzhou@fortunescientific.com.cn)



1966 microscope with lamp

|                      |              |              |
|----------------------|--------------|--------------|
| <b>Model</b>         | 1966         | 2023         |
| <b>Magnification</b> | 10X          | 15X          |
| <b>Size</b>          | Φ36x41x175mm | Φ36x41x175mm |



2016-L microscope with lamp and scale

|                      |        |        |
|----------------------|--------|--------|
| <b>Model</b>         | 2016-L | 2037-L |
| <b>Magnification</b> | 15X    | 30X    |
| <b>Field of view</b> | 20mm   | 15mm   |



1976 Lens with scale

|                      |                           |                           |
|----------------------|---------------------------|---------------------------|
| <b>Model</b>         | 1976                      | 2004                      |
| <b>Magnification</b> | 7X                        | 10X                       |
| <b>Scale</b>         | NO.2.3<br>NO.7.8<br>NO.10 | NO.2.3<br>NO.7.8<br>NO.10 |
| <b>Size</b>          | 150x75x60mm               | 150x75x60mm               |



1988 microscope with lamp and scale

|                           |       |
|---------------------------|-------|
| <b>Model</b>              | 1988  |
| <b>Magnification</b>      | 7X    |
| <b>Accuracy</b>           | 0.1mm |
| <b>Field of view</b>      | 24mm  |
| <b>Effective diameter</b> | 18mm  |



Steinheil lupe

|                           |                |         |         |         |
|---------------------------|----------------|---------|---------|---------|
| <b>Model</b>              | 1985-7         | 1985-10 | 1985-14 | 1985-20 |
| <b>Magnification</b>      | 7X             | 10X     | 14X     | 20X     |
| <b>Effective diameter</b> | Φ16.0mm        | Φ15.5mm | Φ12.0mm | Φ7.0mm  |
| <b>Size</b>               | 39 x 24 x 22mm |         |         |         |
| <b>Weight</b>             | 22g            | 19g     | 18g     | 18g     |

**LUPE**



|                           |      |      |      |      |
|---------------------------|------|------|------|------|
| <b>Model</b>              | 1961 | 1962 | 1964 | 1996 |
| <b>Magnification</b>      | 10X  | 15X  | 22X  | 30X  |
| <b>Effective diameter</b> | 24mm | 19mm | 19mm | 7mm  |

**SPECIAL SCALE LUPE**



2037 scale lupe



2044 zoom scale lupe



2055 scale lupe

|                      |          |
|----------------------|----------|
| <b>Model</b>         | 2037     |
| <b>Magnification</b> | 30X      |
| <b>Minimum scale</b> | 0.05mm   |
| <b>Size</b>          | Φ30x19mm |

|                      |                     |
|----------------------|---------------------|
| <b>Model</b>         | 2044                |
| <b>Magnification</b> | 8X-16X (Adjustable) |
| <b>Field of view</b> | Φ20~10mm            |
| <b>Size</b>          | Φ35x33mm            |

|                      |          |
|----------------------|----------|
| <b>Model</b>         | 2055     |
| <b>Magnification</b> | 20X      |
| <b>Minimum scale</b> | 0.1mm    |
| <b>Size</b>          | Φ35x23mm |



**香港科學儀器社有限公司**  
**Che Scientific Co. (Hong Kong) Ltd.**

**Hong Kong Head office:**

Unit D, 18/F, Roxy Industrial Centre, 58-66 Tai Lin Pai Road, Kwai Chung, Hong Kong

TEL: (852) 2481 1323 FAX: (852) 2418 1302

E-mail: [sales@chescientific.com](mailto:sales@chescientific.com) Website: [www.chescientific.com](http://www.chescientific.com)



**浙江科通儀器有限公司**  
**Zhejiang Fortune Scientific Co. Ltd.**

TEL: (86 571) 8729 7500 FAX: (86 571) 8729 7511

E-mail: [sales@fortunescientific.com.cn](mailto:sales@fortunescientific.com.cn)

Website: [www.fortunescientific.com.cn](http://www.fortunescientific.com.cn)

**Guangzhou Branch:**

TEL: (86 20) 8130 7388 FAX: (86 20) 8108 4925

E-mail: [guangzhou@fortunescientific.com.cn](mailto:guangzhou@fortunescientific.com.cn)



# "PEAK" Lupe and Linen Testers Made In Japan

## SPECIAL SCALE LUPE



1983 scale lupe  
Different type of scale available



1975 scale lupe  
Different type of scale available





2016 scale lupe with standard scale

|                    |       |
|--------------------|-------|
| Model              | 1983  |
| Magnification      | 10X   |
| Accuracy           | 0.1mm |
| Field of view      | 32mm  |
| Effective diameter | 20mm  |

|                    |           |
|--------------------|-----------|
| Model              | 1975      |
| Magnification      | 7X        |
| Field of view      | 24mm      |
| Effective diameter | 18mm      |
| Size               | Φ36x57 mm |

|                    |           |
|--------------------|-----------|
| Model              | 2016      |
| Magnification      | 15X       |
| Field of view      | 20mm      |
| Effective diameter | 13mm      |
| Size               | Φ35x33 mm |

## Peak Scale



1504WA3



3407SA0



3407SA3




1209WZ3

No. 2003

## Peak Scale

Suitable for 1975(7X), 1976(7X), 1998(7X), 1999(7X), 2015(7X), diameter 26mm and 1983(10X), 2004(10X), 2028(10X) diameter 36mm and 2016(15X) diameter 26mm. Scale with different color (red, yellow, green, white etc.) is also available.



Standard

## PEAK LINEN TESTER

\*PEAK linen testers provide folding magnifiers for the inspection of cloth.

| Model        | Frame size (In) | Frame size (mm) | Magnification | No. of lens | Material | Surface treatment |
|--------------|-----------------|-----------------|---------------|-------------|----------|-------------------|
| 2003-1209SA0 | 1/2             | 10              | 9X            | 1           | Aluminum | Metal color       |
| 2003-3407SA0 | 3/4             | 15              | 7X            | 1           | Aluminum | Metal color       |
| 2003-1006SA0 | 1               | 25              | 6X            | 1           | Aluminum | Metal color       |
| 2003-1209SA3 | 1/2             | 10              | 9X            | 1           | Aluminum | Black             |
| 2003-3407SA3 | 3/4             | 15              | 7X            | 1           | Aluminum | Black             |
| 2003-1006SA3 | 1               | 25              | 6X            | 1           | Aluminum | Black             |
| 2003-1209WZ3 | 1/2             | 10              | 9X            | 2           | Zinc     | Black             |
| 2003-3408WZ3 | 3/4             | 15              | 8X            | 2           | Zinc     | Black             |
| 2003-1006WZ3 | 1               | 25              | 6X            | 2           | Zinc     | Black             |
| 2003-1504WA3 | 1 1/2           | 30              | 4X            | 2           | Aluminum | Black             |
| 2003-2003WA3 | 2               | 50              | 3X            | 2           | Aluminum | Black             |

In/mm mixed frame scale is available.



2035 Head Lupe

| Model         | 2035-I        | 2035-II                |
|---------------|---------------|------------------------|
| Magnification | 2.2X, 3.3X    | 2.2X, 3.3X, 4.1X, 5.2X |
| Size          | 190x70x250 mm | 190x70x258 mm          |



香港科學儀器社有限公司  
Che Scientific Co. (Hong Kong) Ltd.

### Hong Kong Head office:

Unit D, 18/F, Roxy Industrial Centre, 58-66 Tai Lin Pai Road, Kwai Chung, Hong Kong

TEL: (852) 2481 1323 FAX: (852) 2418 1302

E-mail: [sales@chescientific.com](mailto:sales@chescientific.com) Website: [www.chescientific.com](http://www.chescientific.com)



浙江科通儀器有限公司  
Zhejiang Fortune Scientific Co. Ltd.

TEL: (86 571) 8729 7500 FAX: (86 571) 8729 7511

E-mail: [sales@fortunescientific.com.cn](mailto:sales@fortunescientific.com.cn)

Website: [www.fortunescientific.com.cn](http://www.fortunescientific.com.cn)

### Guangzhou Branch:

TEL: (86 20) 8130 7388 FAX: (86 20) 8108 4925

E-mail: [guangzhou@fortunescientific.com.cn](mailto:guangzhou@fortunescientific.com.cn)